



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

C

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/808,077

03/24/2004

Mark Tsonton

END-5294

7100

27777 7590 08/09/2007
PHILIP S. JOHNSON
JOHNSON & JOHNSON
ONE JOHNSON & JOHNSON PLAZA
NEW BRUNSWICK, NJ 08933-7003

EXAMINER

LEE, EDMUND H

ART UNIT

PAPER NUMBER

1732

MAIL DATE

DELIVERY MODE

08/09/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/808,077

Applicant(s)

TSONTON ET AL.

Examiner

EDMUND H. LEE

Art Unit

1732

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 July 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) 11-15 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 3/24/04.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

DETAILED ACTION

1. Claims 11-15 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on 7/6/07.
2. Applicant's election without traverse of claims 1-10 in the reply filed on 7/6/07 is acknowledged.
3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.
4. Claims 1-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kuhle (USPN 5938635) in view of Kohsai (USPN 5017259). In regard to claim 1, Kuhle teaches the basic claimed process including forming a biopsy needle by a molding process, wherein the needle has a proximal segment and a distal segment (col 3, lns 40-50). Kuhle, however, does not teach forming the distal segment about the proximal needle portion. Kohsai teaches forming a catheter having proximal and distal portions, wherein the distal portion is formed about the distal portion of the proximal portion (figs 1-5). It should also be noted that the catheter of Kohsai has improved strength, appearance, and configuration. Kuhle and Kohsai are combinable because they are analogous with respect to forming a cannula. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the molding process of Kohsai to mold the cannula of the biopsy needle of Kuhle in order to form a needle

Art Unit: 1732

having good appearance, strength, and configuration. In regard to claims 2,3, and 5, such are taught by the above combination of Kuhle and Kohsai. In regard to claims 4, injection molding is well-known in the molding art as an effective means for molding about a preform. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to injection mold the distal portion of Kuhle in order to form the distal portion with ease. In regard to claims 6-10, such are a mere obvious matter of choice dependent on the desired final product and of little patentable consequence to the claimed process since it is not a manipulative feature or step of the claimed process. Further, the claimed limitations/features are well-known in the catheter/biopsy needle art. Thus, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the claimed limitations into the biopsy needle of Kuhle in order to provide a functional needle.

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. USPNs 5620639 and 6083440 teach the state of the art. USPN 6447534 teaches the cannula of a biopsy needle can be the cannula of a catheter.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to EDMUND H. LEE whose telephone number is 571.272.1204. The examiner can normally be reached on MONDAY-THURSDAY FROM 9AM-4PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Johnson can be reached on 571.272.1176. The fax phone


Art Unit: 1732

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EDMUND H. LEE
Primary Examiner
Art Unit 1732

EHL

A handwritten signature in black ink, appearing to read 'Edmund H. Lee', with a date '7/10/09' written below it.